

Forest Accents.





Photography and small images may not exactly exemplify the natural variation and character you can expect from natural wood products. All flooring should be inspected for quality, color and grade before installation.



SOLID Hardwood

A solid hardwood floor is what most people think of when they imagine a hardwood floor. The flooring is just a piece of wood, cut into a plank, and finished as a floor. Solids come in a wide range of lengths, widths, and a few different options in terms of thickness. Generally speaking, the wider the solid plank, the more careful the installation must be done to

avoid cupping in the future. Solids can generally be sanded and refinished at least once in their lifetime. Thicker floors can normally be refinished more times, but realistically it is rare that a floor will need to be refinished too many times. Solid floors have a distinctive look that is very difficult for engineered or manufactured floors to replicate.



ENGINEERED Hardwood

Engineered hardwood floors are a modern variation of the traditional hardwood floor. With advancements in technology, floor manufacturers have created a versatile hardwood flooring with amazing stability, making it perfect for wide plank widths and spaces with humidity changes. Engineered hardwood flooring is made of several overlapping layers of wood, with the

top layer being the same wood as a traditional solid hardwood plank. Essentially, if you walk across an engineered floor and then you walk across a solid floor, your feet have touched the same wood. Engineered floors can more easily support wider widths and tend to bow less in longer lengths because of the overlapping grains underneath the surface layer.



ROSECLIFF Series

Edge/End Bevel/Bevel

Installation
Nail, Staple,
Glue or Float

Thickness

Width 7-1/2"

ı

Construction

Species
White Ash

Engineered

Treatment
Light Wire-brushed

Finish 7 Coots III

7 Coats UV Cured Polyurethane



- 7-½" wide planks display the unique detail of the timber
- · White Ash, known for its great strength and hardness
- Light wire brushed surface accentuates the rich graining
- 7 coats of scratch resistant UV-cured polyurethane
- Engineered flooring is suitable for installation on any level of your home











TIMELESS TEXTURES Series

Edge/End Micro/Micro

ro/ IVIICro

Installation
Nail, Staple,
Glue or Float

Thickness Treatment
Wire Brushed
9/16"

Species
Maple, Hickory

Construction

Engineered

Width Finish
Aluminum Oxide







- Handscraped & distressed for a unique look
- Aluminum Oxide Acrylic Urethane coating provides a highly durable finish made to last
- Engineered flooring is suitable for installation on any level of your home











CRAFTED TEXTURES Series

Edge/End Micro/Micro

Installation

Nail, Staple,
Glue or Float

Thickness

Width 5"

Pacific Walnut

Species
Birch, Hickory,

Construction Engineered

Treatment
Handscraped &
Distressed

Finish
Aluminum Oxide
Urethane











- Handscraped & distressed for a unique look
- Aluminum Oxide Acrylic Urethane coating provides a highly durable finish made to last
- Available in variety of species for the creation of a beautifully unique floor
- Engineered flooring is suitable for installation on any level of your home











7 | V Series

Edge/End Micro/Micro

Installation
Nail, Staple,
Glue or Float

Thickness

Width 7-1/2"

Species
European White Oak/
Walnut

le, **Construction** oat Engineered

Treatment
Antiqued

Finish
UV Cured Urethane


Lucerne

Windsor

*Premium Select Grade









- European White Oak and American Walnut, known for great strength, hardness and beauty
- Light wire brushed surface accentuates the rich graining
- Engineered flooring is suitable for installation on any level of your home













Series

Edge/End Micro/Micro

Installation Nail, Staple, Glue or Float

Thickness Varies

Width Varies

Construction

Engineered and Solid

Treatment Wire Brushed

Finish UV Cured Aluminum Oxide

African Mahogany

Thickness: 1/2' Lengths: Random up to 7

Brazilian Pecan Thickness: 1/2 : Random up to 7'

Brazilian Chestnut Natural

Thickness: 3/8" Lengths: Random up to 7

Santos Mahogany Width: 5 Thickness: 3/8" Lengths: Random up to 7

Serengeti Teak

Width: 5" Thickness: 1/2" Lengths: Random up to 4'



Amendoim Natural

Width: 5" Thickness: 1/2" Lengths: Random up to 7'

Brazilian Oak

Width: 3-1/4" & 5" Thickness: 3/4"

Brazilian Tigerwood

Width: 3-1/4' Thickness: 3/8' Lengths: Random up to 7

Brazilian Teak


Width: 3-1/4" Thickness: 3/8" Lengths: Random up to 7'

Brazilian Walnut

Width: 3-1/4" Thickness: 3/8" Lengths: Random up to 7

Brazilian Cherry

Width: 3-1/4" Thickness: 3/8" Lengths: Random up to 7











Forest Accents.

ForestAccents.com

